SGIP Attachment 2 SMALL GENERATOR INTERCONNECTION REQUEST (Application Form)

Transmission Provider: Public Service Company of New Mexico Designated Contact Person: Manager, Transmission Contracts Address: 2401 Aztec Rd., NE, MS-Z220 Albuquerque NM 87107 Telephone Number: (505) 241-4472 Fax: (505) 241-4363 E-Mail Address: Wesley.Wilson@pnm.com An Interconnection Request is considered complete when it provides all applicable and correct information required below. Per SGIP section 1.5, documentation of site control must be submitted with the Interconnection Request. **Preamble and Instructions** An Interconnection Customer who requests a Federal Energy Regulatory Commission jurisdictional interconnection must submit this Interconnection Request by hand delivery, mail, e-mail, or fax to the Transmission Provider. **Processing Fee or Deposit:** If the Interconnection Request is submitted under the Fast Track Process, the non-refundable processing fee is \$500. If the Interconnection Request is submitted under the Study Process, whether a new submission or an Interconnection Request that did not pass the Fast Track Process, the Interconnection Customer shall submit to the Transmission Provider a deposit not to exceed \$1,000 towards the cost of the feasibility study. **Interconnection Customer Information** Legal Name of the Interconnection Customer (or, if an individual, individual's name) Name:

Mailing Address:

City:	State:	Zip:
Facility Location (if differen	nt from above):	
Telephone (Day):	Telephone (Evening):	
Fax:	E-Mail Address:	
Alternative Contact Informa	tion (if different from the Interconnection Cust	tomer)
Contact Name:		
Title:		
Address:		
	Telephone (Evening):	
Fax:	E-Mail Address:	
* *	_New Small Generating Facility _Capacity addition to Existing Small Generating	ng Facility
	ng facility, please describe:	
Will the Small Generating F	Facility be used for any of the following?	
Net Metering? Yes	No	
To Supply Power to	the Interconnection Customer? YesNo	_
To Supply Power to	Others? Yes No	
For installations at locations Facility will interconnect, pr	s with existing electric service to which the proposition of the propo	posed Small Generating
(Local Electric Service Prov	rider*) (Existing	g Account Number*)
[*To be provided by the Int the Transmission Provider]	terconnection Customer if the local electric se	rvice provider is different from
Contact Name:		
Title:		

Telephone (Day):	Teleph	one (Evening):	
Fax:	E-Mail	Address:	
Requested Point of Interconnec	tion:		
Interconnection Customer's Rec	quested In-Service Dat	te:	
Small Generating Facility Info Data apply only to the Small Go		the Interconnection	Facilities.
Energy Source: Solar	•	Hydro Type (6	e.g.
	Natural Gas _	Fuel Oil C	Other (state type)
Prime Mover:Fuel Cel		Gas Turb	Steam Turb
Microtu	rbine	PV	Other
Type of Generator:Synchr	ronousIndu	ction Inve	ter
Generator Nameplate Rating: _	kW (Typical)	Generator Name	plate kVAR:
Interconnection Customer or Cu	ustomer-Site Load:	k\	W (if none, so state)
Typical Reactive Load (if know	rn):		
Maximum Physical Export Cap	ability Requested:	kW	
List components of the Small G	enerating Facility equ	ipment package that	are currently certified:
Equipment Type		Certifying Entity	I
1. 2.			
3. 4.			
5.			
Is the prime mover compatible	with the certified prote	ective relay package	?YesNo
Generator (or solar collector) Manufacturer, Model Name & 1	Number:		

Nameplate Output Power Rating in kVA: (Summer) (Winter)
Individual Generator Power Factor Rated Power Factor: Leading:Lagging:
Total Number of Generators in wind farm to be interconnected pursuant to this Interconnection Request: Elevation: Single phase Three phase
Inverter Manufacturer, Model Name & Number (if used):
List of adjustable set points for the protective equipment or software:
Note: A completed Power Systems Load Flow data sheet must be supplied with the Interconnection Request.
Small Generating Facility Characteristic Data (for inverter-based machines)
Max design fault contribution current: or RMS?
Harmonics Characteristics:
Start-up requirements:
Small Generating Facility Characteristic Data (for rotating machines) RPM Frequency: (*) Neutral Grounding Resistor (If Applicable):
Synchronous Generators:
Direct Axis Synchronous Reactance, Xd:P.U. Direct Axis Transient Reactance, X'_d:P.U. Direct Axis Subtransient Reactance, X''_d:P.U. Negative Sequence Reactance, X ₂ :P.U. Zero Sequence Reactance, X ₀ :P.U. KVA Base: Field Volts:
Induction Generators:
Motoring Power (kW): I ₂ ² t or K (Heating Time Constant): Rotor Resistance, Rr: Stator Resistance, Rs:

Stator Reactance, Xs:
Rotor Reactance, Xr:
Magnetizing Reactance, Xm:
Short Circuit Reactance, Xd":
Exciting Current:
Temperature Rise:
Frame Size:
Design Letter:
Reactive Power Required In Vars (No Load):
Reactive Power Required In Vars (Full Load):
Total Rotating Inertia, H: Per Unit on kVA Base
Total Rotating mertia, 11 Tel Olit on RVA Base
Note: Please contact the Transmission Provider prior to submitting the Interconnection Request to determine if the specified information above is required.
Excitation and Governor System Data for Synchronous Generators Only
Provide appropriate IEEE model block diagram of excitation system, governor system and power system stabilizer (PSS) in accordance with the regional reliability council criteria. A PSS may be determined to be required by applicable studies. A copy of the manufacturer's block diagram may not be substituted.
Interconnection Facilities Information
Will a transformer be used between the generator and the point of common coupling?YesNo
Will the transformer be provided by the Interconnection Customer?YesNo
Transformer Data (If Applicable, for Interconnection Customer-Owned Transformer):
Is the transformer:single phasethree phase?
Size:kVA
Transformer Impedance:% onkVA Base
If Three Phase:
Transformer Primary:Volts DeltaWyeWye Grounded
Transformer Secondary: Volts Delta Wye Wye Grounded
Transformer Tertiary: Volts DeltaWye Wye Grounded
Transformer Fuse Data (If Applicable, for Interconnection Customer-Owned Fuse):
(Attach copy of fuse manufacturer's Minimum Melt and Total Clearing Time-Current Curves)
Manufacturer: Type: Size: Speed:
Interconnecting Circuit Breaker (if applicable):
Manufacturari
Manufacturer: Type: Load Rating (Amps): Interrupting Rating (Amps): Trip Speed (Cycles):
Load Kading (Amps): interrupting Kading (Amps): 1rip Speed (Cycles):

Interconnection Protective Relays (If Applicable):

<u>If Microprocessor-Controlled</u>:

Li	ist	of	Functions	and A	diustable	Set	points	for	the	protective e	auipment	t or softwar	e:
_	LDL	O1	I diletions	unu 1	ia a buoic	\mathcal{L}	POILIE	101	uic	protective	quipilion	t of boltman	\sim .

	Setpoint Function	Millillulli	Maxillulli
1			
2			
4.			
5.			
			
· _			
If Discrete Compone	ents:		
(Enclose Copy of any	Proposed Time-Overcurren	nt Coordination Curves)	
Manufacturer:	Type: Sty	yle/Catalog No.:	Proposed Setting:
Manufacturer:	Type: Sty	vle/Catalog No :	Proposed Setting:
Manufacturer:	Type: Sty	vle/Catalog No :	Proposed Setting: Proposed Setting: Proposed Setting:
Manufacturer:	Type: Sty	vle/Catalog No :	Proposed Setting:
Manufacturer:	Type: Sty	vle/Catalog No :	Proposed Setting:
(Enclose Copy of Mar	er Data (If Applicable): nufacturer's Excitation and	·	
Manufacturer:	A	Proposed Ratio Connection	
Type:	Accuracy Class:	Proposed Rano Connection	1
Manufacturer:	Acqueon Closes	Proposed Ratio Connection	
Туре.	Accuracy Class	Troposed Ratio Connection	1
Potential Transform	er Data (If Applicable):		
Manufacturer:	A coursey Class.	Proposed Ratio Connection	
Type.	Accuracy Class:	Troposeu Kano Connection	1
Manufacturer:			
Type:	Accuracy Class:	Proposed Ratio Connection	1:

General Information

Enclose copy of site electrical one-line diagram showing the configuration of all Small Generating

Facility equipment, current and potential circuits, and protection and control schemes. This one-line diagram must be signed and stamped by a licensed Professional Engineer if the Small Generating Facility
s larger than 50 kW. Is One-Line Diagram Enclosed?YesNo
Enclose copy of any site documentation that indicates the precise physical location of the proposed Small Generating Facility (<u>e.g.</u> , USGS topographic map or other diagram or documentation).
Proposed location of protective interface equipment on property (include address if different from the interconnection Customer's address)
Enclose copy of any site documentation that describes and details the operation of the protection and control schemes. Is Available Documentation Enclosed?YesNo
Enclose copies of schematic drawings for all protection and control circuits, relay current circuits, relay cotential circuits, and alarm/monitoring circuits (if applicable). Are Schematic Drawings Enclosed?YesNo
Applicant Signature
hereby certify that, to the best of my knowledge, all the information provided in this Interconnection Request is true and correct.
For Interconnection Customer:Date: