

2401 Aztec NE – Z100
Albuquerque, NM 87107
P 505.241.2014
F 505.241.2384
PNMResources.com



October 31, 2016

**Via Certified Mail
Return Receipt Requested**

Mr. John Kieling
Chief, Hazardous Waste Bureau
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505-6313

**RE: Person Generating Station (NMT360010342) - Class II Permit Modification Request
for Monitoring Well Abandonment.**

Dear Mr. Kieling:

Public Service Company of New Mexico (PNM) is requesting a permit modification for the abandonment without replacement of monitoring wells PSMW-11, PSMW-17, and PSMW-20.

PNM is requesting the abandonment of PSMW-20 because the New Mexico Department of Transportation (NMDOT) is planning a construction project for the southbound Rio Bravo Boulevard off-ramp from Interstate 25 (I-25), which will damage the well. PNM is requesting to abandon PSMW-11 and PSMW-17 since no United States Environmental Protection Agency (USEPA) Method 8260 constituents have been detected in either of these wells since the April 2008 sampling event and therefore, the wells no longer serve any useful monitoring purpose.

If you have any questions, please contact me at (505) 241-2014 or via email at john.hale@pnmresources.com.

Sincerely,

A handwritten signature in black ink, appearing to read "John Hale".

John Hale, PE
Environmental Manager

cc: Brian Salem, NMED-HWB, 121 Tijeras Ave. NE, Albuquerque, NM 87102-3400

Enclosures- Class II Permit Modification

The Public Service Company of New Mexico (PNM) is requesting a Resource Conservation and Recovery Act (RCRA) permit modification at Person Generating Station (the facility). This modification consists of abandoning PSMW-11, PSMW-17, and PSMW-20 without replacement. PNM believes this to be a Class II Permit Modification to the existing RCRA Permit. The United States Environmental Protection Agency (USEPA) ID number for the RCRA permit is NMT360010342, and the New Mexico Environment Department (NMED) ID number for the RCRA permit is 2498. In addition to the RCRA permit, this facility operates under a NMED Groundwater Quality Bureau issued discharge permit (DP-1006).

The Facility requesting the modification is PNM's Person Generating Station. This facility is located at:

Facility Location

725 Electric Avenue SE
Albuquerque, NM 87105
N: 35° 01' 39.04"
W: 106° 38' 37.14"

Facility Owner

Public Service Company of New Mexico
2401 Aztec NE – Z100
Albuquerque, NM 87107

Site Contact

John Hale- (505) 241-2014
john.hale@pnmresources.com

The Facility is not located on any Indian Administered lands. The Standard Industrial Classification (SIC) codes used by the Facility include 4911 and 9995.

This modification is required because the New Mexico Department of Transportation (NMDOT) is planning a construction project for the southbound Rio Bravo Boulevard exit on I-25. PSMW-20 is located in the NMDOT right-of-way (ROW) for the Rio Bravo Boulevard/I-25 expansion project (see attached 60% complete construction plans), and will be impacted during earth moving activities for this expansion project.

The current permit lists PSMW-20 as a post-closure care down-gradient monitoring well, which is required to be sampled for contaminants of concern (COC) during the October sampling events. PSMW-20 was last sampled during the October 2015 semi-annual sampling event for United States Environmental Protection Agency's (USEPA) Method 8260 constituents (volatile organic carbons), at which time all of the constituents were found to be below practical quantitation limits (PQL) (see attached table). Between October 2005 and October 2015, this well had a detection of tetrachloroethene (PCE) at 0.0012 mg/L during the October 2014 sampling event. Prior to October 2005, low concentrations of 1,1-dichloroethene (1,1-DCE) and PCE were detected in this well. None of the 1,1-DCE or PCE detections in any sampling

event exceeded their permit limits of 0.005 mg/L for both compounds. This well is scheduled to be sampled again in October 2016.

Additionally, as part of this permit modification request, PNM is requesting approval to abandon without replacement PSMW-11 and PSMW-17. The current permit lists both PSMW-11 and PSMW-17 as post closure down-gradient monitoring wells, which are required to be sampled for COCs using USEPA Method 8260 during the October semi-annual sampling events. PSMW-11 and PSMW-17 were last sampled in October 2015 with USEPA Method 8260, and all of the constituents were found to be below the PQLs (see attached table). The wells are scheduled to be sampled again in October 2016. April 2008 sampling results indicated that PSMW-11 had a detection of chloroform at 0.0006 mg/L, and PSMW-17 had a detection of 1,1-dichloroethane at 0.0003 mg/L. Neither of these detections exceeds these compounds respective permit limits. There have been no detections of COCs in these wells since the April 2008 sampling event.

The Facility is a former power plant that operated from 1952 to 1986. The Facility contained four oil-fired generators, which were built between 1951 and 1957 and had a rated capacity between 18 to 33 megawatts. The generating units were operated regularly until 1981, after which intermittent operations occurred between 1982 and 1986. The power generating facilities were deactivated in 1993. The building that housed the power generating equipment was razed in 2013. Additionally, this facility does not handle, store, treat, and/or process hazardous materials. The security features for the Facility include a chain linked fence, with barbed wire. The groundwater treatment system is located inside of a locked building. Access to the Facility is via a locked gate (Figure 2).

Between July 1976 and October 1983 an unlined below-grade vertically placed 3.5 feet by 10 feet cylindrical waste oil storage vessel (unlined well) located on the north side of the Facility was in use. Waste oils and greases, kerosene, a water-trisodium phosphate mixture used in steam cleaning, Stoddard solvent, Dowclene EC, and other solvent mixtures generated during maintenance activities were disposed of in the unlined well. The disposal of this material into the Unlined Well resulted in a groundwater plume of chlorinated solvents including 1,1-dichloroethene (DCE), tetrachloroethene (PCE), 1,1,1-trichloroethane (TCA), 1,1-dichloroethane (DCA), and chloroform.

An initial investigation of soil from the Unlined Well occurred in 1983, when sixteen 55-gallon drums of contaminated material were removed. In 1987 the Unlined Well was capped, with the final cover consisting of two 80-mil high-density polyethylene liners overlain with a 6-inch thick compacted soil layer and a 25-ft by 35-ft, 6-inch reinforced concrete slab. In September 1998 the Unlined Well was excavated, and with it approximately 52,000 cubic yards of contaminated material being removed. The excavation was backfilled using clean soil to a uniform depth of approximately four feet, after which asphalt was installed over the former Unlined Well. The Unlined Well is still undergoing corrective action, which is described below.

There are four solid waste management units (SWMU) that have been closed associated with the Facility. These SWMUs consist of four Leach Fields, the Bone Yard Area, the Spin-off

Filter Area, and the Natural Pit Area. All of these areas have a No Further Action (NFA) approval date of July 2005. Documentation of this approval is included as Appendix 1.

The current groundwater monitoring network consists of one hydraulically upgradient well, thirteen hydraulically downgradient wells, and two deeper aquifer cluster wells (Figure 1). In addition to the monitoring wells there is a groundwater extraction well network that pumps groundwater to a groundwater treatment system. The groundwater extraction network consists of five recovery wells (EW-1 through 4 and VEW), which have a combined average flow rate of approximately 56 gallons per minute. After extraction the groundwater flows through the groundwater treatment system, which consists of two tanks containing granular activated carbon. After flowing through the groundwater treatment system, the water is pumped to the irrigation lagoons located at the University of New Mexico Championship Golf Course. The discharge permit (DP-1006) allows for the discharge of 144,000 gallons of water a day into the UNM irrigation ponds.

The groundwater sampling program for the Facility consists of semi-annual events each year. For the spring event (April) well samples are analyzed using USEPA Method 8260, while the fall event well samples are analyzed using USEPA Method 8260 and select wells are sampled using the USEPA Appendix IX method. See Table 1 and Table 2 for the sampling schedule. Analytical results are included in Appendix 2.

Table 1: April Sampling Schedule

Well ID	Sampling Requirements	Hand bail	Duplicate	Water Levels
PSMW-01R	8260	N	PSMW-A	Y
PSMW-07R	8260	N	N	Y
PSMW-08B	8260	N	PSMW-HB	Y
PSMW-10	8260	N	PSMW-J	Y
PSMW-13A	8260	N	N	Y
PSMW 24-500	8260	N	N	Y
PSMW 27-500	8260	N	PSMW-Z500	Y
PSMW 27-600	8260	N	N	Y
PSMW-VEW	8260	N	N	Y
PSMW-EW-1	8260	N	N	Y
PSMW-EW-2	8260	N	N	Y
PSMW-EW-3	8260	N	N	Y
PSMW-EW-4	8260	N	N	Y

Table 2: October Sampling Schedule

Well ID	Sampling Requirements	Hand bail	Duplicate	Water Levels
PSMW-01R	Appendix 9	N	PSMW-A (8260 only)	Y
PSMW-07R	Appendix 9	N	N	Y
PSMW-08B	Appendix 9	N	PSMW-HB (8260 only)	Y
PSMW-10	Appendix 9	N	PSMW-J (8260 only)	Y
PSMW-11	8260	N	N	Y
PSMW-13A	Appendix 9	N	N	Y
PSMW-17	8260	Y	N	Y
PSMW-18	8260	N	N	Y
PSMW-20	8260	N	N	Y
PSMW-22	8260	Y	PSMW-V (8260 only)	Y
PSMW-27	8260	Y	N	Y
PSMW-37	8260	N	N	Y
PSMW 24-500	8260	N	N	Y
PSMW 27-500	8260	N	PSMW-Z500 (8260 only)	Y
PSMW 27-600	8260	N	N	Y
PSMW-VEW	8260	N	N	Y
PSMW-EW-1	8260	N	N	Y
PSMW-EW-2	8260	N	N	Y
PSMW-EW-3	8260	N	N	Y
PSMW-EW-4	8260	N	N	Y

Statistical analysis of these constituents is performed using a student's two tailed T-test, to compare the last six sampling results with the regulatory standard set by the current RCRA Permit. Since the April 2015 sampling event, concentrations of the above mentioned constituents have either been below the limits set by the current RCRA permit or have been at non-detect levels. Results of the previous ten years of sample data for PSMW-11, PSMW-17, and PSMW-20 are included in Appendix 2. The permit limits for COCs are as follows: DCE= 0.005 mg/L, PCE= 0.005 mg/L, TCA= 0.06 mg/L, DCA= 0.0242 mg/L, and chloroform= 0.1 mg/L.

There are no known physical hazards that pose a threat to the Facility. This includes any known fault lines that have displaced during the Holocene Era located within 3,000 feet of the Facility. This was determined by observing aerial photographs of the area within 3,000 feet of the facility. Additional data was obtained from a USGS study concerning faults and folds in the State of New Mexico.

The Facility is not located in a Federal Emergency Management Agency (FEMA) designated 100 year flood zone. There is a FEMA designated 100 year flood located approximately 50 feet north of the Facility's property boundary, which consists of an unnamed arroyo. Since this arroyo is not located on the Facility and is not expected to have any impacts, PNM has not done any mitigation.

Figures



Figure 1
Current Permit Well Network
Person Generating Station
Public Service Company of New Mexico



Figure 2

Aerial Photograph
Person Generating Station

Public Service Company of New Mexico



Figure 3

**Facility Location Map
Person Generating Station
Public Service Company of New Mexico**

LEGEND

- Resource Conservation and
Recovery Act Facility Boundary
PNM- Rio Bravo Generating Station
Monitoring Well



850 Feet

Geographic Coordinate System NAD83
Google Earth Image 11/1/2015




Figure 4
Topographic Map
Person Generating Station
Public Service Company of New Mexico




Figure 5
Current Zoning, Land Use, Surface Water
Bodies, and Wind Rose
Person Generating Station
Public Service Company of New Mexico




Image Taken from www.cabq.gov/gis
Downloaded: September 22, 2016



Figure 6
Groundwater Contour Map
June 2016
Person Generating Station
Public Service Company of New Mexico






Figure 7
PCE Concentration Map
June 2016
Person Generating Station
Public Service Company of New Mexico






Figure 8
1,1-DCE Concentration Map
June 2016
Person Generating Station
Public Service Company of New Mexico








Figure 9
Chloroform Concentration Map
June 2016
Person Generating Station
Public Service Company of New Mexico





*FEMA Firmette downloaded from www.fema.gov
September 21, 2016




Figure 11
Groundwater Treatment Building and
Emergency Evacuation Routes
Person Generating Station
Public Service Company of New Mexico

Attachment 1



Appendix 1



BILL RICHARDSON
GOVERNOR

State of New Mexico
ENVIRONMENT DEPARTMENT

Water and Waste Management Division

Harold Runnels Building

1190 St. Francis Drive, P.O. Box 26110

Santa Fe, New Mexico 87502-6110

Telephone (505) 827-1758

Fax (505) 827-0310

www.nmenv.state.nm.us



RON CURRY
SECRETARY

DERRITH WATCHMAN-MOORE
DEPUTY SECRETARY

**CERTIFIED MAIL
RETURN RECEIPT REQUESTED**

August 3, 2005

Mr. John Hale, P.E.
Technical Project Manager
Public Service Company of New Mexico
2401 Aztec NE
MS Z110
Albuquerque, NM 87107

**RE: FINAL PERMIT DECISION: CLASS 3 PERMIT MODIFICATION - PETITION
FOR NO FURTHER ACTION FOR SEVEN SOLID WASTE MANAGEMENT
UNITS/AREAS OF CONCERN PERSON GENERATING STATION NMT360010342
HWB-PNM-05-001**

Dear Mr. Hale:

This letter notifies you of a final permit decision by the New Mexico Environment Department (NMED) to modify Module IV of the Resource Conservation and Recovery Act (RCRA) Permit NMT360010342 issued to the Public Service Company of New Mexico (PNM, the Permittee). The Permittee requested this modification in March 2003. The modification consists of the approval of No Further Action (NFA) status for seven (7) Solid Waste Management Units and Areas of Concern (SWMUs/AOCs) located at PNM in Albuquerque, New Mexico.

This final permit decision shall become effective thirty (30) days after the date of this letter. The approved permit, revised Tables A.1 and A.2, are enclosed with this letter.

Enclosed is the modification in the form of changes to Tables A.1 and A.2, Module IV. Table A lists SWMUs and Areas of Concern (AOCs) subject to Corrective Action, which no longer contains the subject 7 SWMUs/AOCs approved for NFA status herein. Table A.2 lists SWMUs and AOCs not requiring corrective action. Also enclosed is a list (Enclosure 1) of the seven SWMUs/AOCs approved for NFA status by this action.

Mr. Hale
August 3, 2005
Page 2

In accordance with 20.4.1 NMAC, NMED provided public notice and conducted a 45-day public comment period from May 13 through June 27, 2005, regarding this modification request. No comments were received from the public during the comment period.

If you have any questions regarding this decision, please contact Carolyn Cooper of my staff at (505) 845-5932.

Sincerely,



Cindy Padilla
Director
Water and Waste Management Division

CP:cec(HWB)

Enclosure

cc: J. Bearzi, NMED HWB
W. Moats, NMED HWB
C. Cooper NMED HWB
L. King, EPA, 6PD-N

File: Reading File and PNM 05

Mr. Hale
August 3, 2005
Page 3

Enclosure 1
Solid Waste Management Units/Areas of Concern Proposed for No Further Action
Class 3 RCRA Permit Modification Request of March 2003

	SWMU/AOC Name
1	Natural Pit Area
2	Spin-Off Filter Area
3	Bone Yard Area
4-7	Four Leach Fields

Appendix 2

Person Station

All Parameters vs Specified Locations by Date

Sample Date: 03/28/2000

PSM\W-11
GW Depth (TOC), ft
159.250

Sample Date: 04/18/2000

	PSM\W-11
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	1.300
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	0.900
1,1-Dichloroethene, ug/L	3.500
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	2.100
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	1.600
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3-Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Person Station

All Parameters vs Specified Locations by Date

Sample Date: 09/26/2000

PSMW-11
GW Depth (TOC), ft
160.970

Sample Date: 10/20/2000

PSMW-11
1,1,1-Trichloroethane, ug/L <1.000
1,1,2,2-Tetrachloroethane, ug/L 1.200
1,1,2-Trichloroethane, ug/L <0.200
1,1-Dichloroethane, ug/L 1.200
1,1-Dichloroethene, ug/L 2.100
1,2-Dibromoethane, ug/L <0.200
1,2-Dichlorobenzene, ug/L <0.500
1,2-Dichloroethane, ug/L <0.500
1,2-Dichloropropane, ug/L <0.200
1,3-Dichlorobenzene, ug/L <0.500
1,4-Dichlorobenzene, ug/L <0.500
Bromodichloromethane, ug/L <0.200
Bromoform, ug/L <0.500
Bromomethane, ug/L <1.000
Carbon Tetrachloride, ug/L <0.200
Chlorobenzene, ug/L <0.500
Chlorodibromomethane, ug/L <0.200
Chloroethane, ug/L <0.500
Chloroform, ug/L 2.500
Chloromethane, ug/L <1.000
cis 1,2-Dichloroethene, ug/L <0.200
cis 1,3-Dichloropropene, ug/L <0.200
Methylene Chloride, ug/L <2.000
Tetrachloroethene, ug/L 1.100
trans 1,2-Dichloroethene, ug/L <1.000
Trans-1,3-Dichloropropene, ug/L <0.200
Trichloroethene, ug/L <0.300
Trichlorofluoromethane, ug/L <0.200
Vinyl Chloride, ug/L <0.500

Person Station

All Parameters vs Specified Locations by Date

Sample Date: 04/11/2002

PSMW-11

1,1,1-Trichloroethane, ug/L <1.000
1,1,2,2-Tetrachloroethane, ug/L <0.500
1,1,2-Trichloroethane, ug/L <0.200
1,1-Dichloroethane, ug/L 0.400
1,1-Dichloroethene, ug/L 1.300
1,2-Dibromoethane, ug/L <0.200
1,2-Dichlorobenzene, ug/L <0.500
1,2-Dichloroethane, ug/L <0.500
1,2-Dichloropropane, ug/L <0.200
1,3-Dichlorobenzene, ug/L <0.500
1,4-Dichlorobenzene, ug/L <0.500
Bromodichloromethane, ug/L <0.200
Bromoform, ug/L <0.500
Bromomethane, ug/L <1.000
Carbon Tetrachloride, ug/L <0.200
Chlorobenzene, ug/L <0.500
Chlorodibromomethane, ug/L <0.200
Chloroethane, ug/L <0.500
Chloroform, ug/L 2.800
Chloromethane, ug/L <1.000
cis 1,2-Dichloroethene, ug/L <0.200
cis 1,3-Dichloropropene, ug/L <0.200
Methylene Chloride, ug/L <2.000
Tetrachloroethene, ug/L 1.200
trans 1,2-Dichloroethene, ug/L <1.000
Trans-1,3 Dichloropropene, ug/L <0.200
Trichloroethene, ug/L <0.300
Trichlorofluoromethane, ug/L <0.200
Vinyl Chloride, ug/L <0.500

Sample Date: 10/10/2002

PSMW-11

1,1,1-Trichloroethane, ug/L <1.000
1,1,2,2-Tetrachloroethane, ug/L <0.500
1,1,2-Trichloroethane, ug/L <0.200
1,1-Dichloroethane, ug/L <0.300

Person Station

All Parameters vs Specified Locations by Date

PSMW-11

1,1-Dichloroethene, ug/L	0.600
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	1.600
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	0.800
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 04/16/2003

PSMW-11

1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	2.100
1,1-Dichloroethene, ug/L	0.800
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500

Person Station

All Parameters vs Specified Locations by Date

PSMW-11

1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	3.300
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	1.100
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 10/10/2003

PSMW-11

1,1,1-Trichloroethane, ug/L	<1,000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	<0.300
1,1-Dichloroethene, ug/L	0.400
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500

Person Station

All Parameters vs Specified Locations by Date

PSMW-11		
Chlorodibromomethane, ug/L	<0.200	
Chloroethane, ug/L	<0.500	
Chloroform, ug/L	1.600	
Chloromethane, ug/L	<1.000	
cis 1,2-Dichloroethene, ug/L	<0.200	
cis 1,3-Dichloropropene, ug/L	<0.200	
Methylene Chloride, ug/L	<2.000	
Tetrachloroethene, ug/L	0.800	
trans 1,2-Dichloroethene, ug/L	<1.000	
Trans-1,3 Dichloropropene, ug/L	<0.200	
Trichloroethene, ug/L	<0.300	
Trichlorofluoromethane, ug/L	<0.200	
Vinyl Chloride, ug/L	<0.500	

Sample Date: 04/15/2004

PSMW-11		
1,1,1-Trichloroethane, ug/L	<1.000	
1,1,2,2-Tetrachloroethane, ug/L	<0.500	
1,1,2-Trichloroethane, ug/L	<0.200	
1,1-Dichloroethane, ug/L	<0.300	
1,1-Dichloroethene, ug/L	0.400	
1,2-Dibromoethane, ug/L	<0.200	
1,2-Dichlorobenzene, ug/L	<0.500	
1,2-Dichloroethane, ug/L	<0.500	
1,2-Dichloropropane, ug/L	<0.200	
1,3-Dichlorobenzene, ug/L	<0.500	
1,4-Dichlorobenzene, ug/L	<0.500	
Bromodichloromethane, ug/L	<0.200	
Bromoform, ug/L	<0.500	
Bromomethane, ug/L	<1.000	
Carbon Tetrachloride, ug/L	<0.200	
Chlorobenzene, ug/L	<0.500	
Chlorodibromomethane, ug/L	<0.200	
Chloroethane, ug/L	<0.500	
Chloroform, ug/L	1.900	
Chloromethane, ug/L	<1.000	
cis 1,2-Dichloroethene, ug/L	<0.200	
cis 1,3-Dichloropropene, ug/L	<0.200	

Person Station

All Parameters vs Specified Locations by Date

	PSMW-11	
Methylene Chloride, ug/L	<2.000	
Tetrachloroethene, ug/L	0.900	
trans 1,2-Dichloroethene, ug/L	<1.000	
Trans-1,3 Dichloropropene, ug/L	<0.200	
Trichloroethene, ug/L	<0.300	
Trichlorofluoromethane, ug/L	<0.200	
Vinyl Chloride, ug/L	<0.500	
Sample Date: 10/11/2004		
	PSMW-11	
1,1,1-Trichloroethane, ug/L	<1.000	
1,1,2,2-Tetrachloroethane, ug/L	<0.500	
1,1,2-Trichloroethane, ug/L	<0.200	
1,1-Dichloroethane, ug/L	<0.300	
1,1-Dichloroethene, ug/L	0.500	
1,2-Dibromoethane, ug/L	<0.200	
1,2-Dichlorobenzene, ug/L	<0.500	
1,2-Dichloroethane, ug/L	<0.500	
1,2-Dichloropropane, ug/L	<0.200	
1,3-Dichlorobenzene, ug/L	<0.500	
1,4-Dichlorobenzene, ug/L	<0.500	
Bromodichloromethane, ug/L	<0.200	
Bromoform, ug/L	<0.500	
Bromomethane, ug/L	<1.000	
Carbon Tetrachloride, ug/L	<0.200	
Chlorobenzene, ug/L	<0.500	
Chlorodibromomethane, ug/L	<0.200	
Chloroethane, ug/L	<0.500	
Chloroform, ug/L	2.700	
Chloromethane, ug/L	<1.000	
cis 1,2-Dichloroethene, ug/L	<0.200	
cis 1,3-Dichloropropene, ug/L	<0.200	
Methylene Chloride, ug/L	<2.000	
Tetrachloroethene, ug/L	0.900	
trans 1,2-Dichloroethene, ug/L	<1.000	
Trans-1,3 Dichloropropene, ug/L	<0.200	
Trichloroethene, ug/L	<0.300	
Trichlorofluoromethane, ug/L	0.400	

Person Station

All Parameters vs Specified Locations by Date

	PSMW-11	
Vinyl Chloride, ug/L	<0.500	
Sample Date: 04/13/2005		
	PSMW-11	
1,1,1-Trichloroethane, ug/L	<1.000	
1,1,2,2-Tetrachloroethane, ug/L	<0.500	
1,1,2-Trichloroethane, ug/L	<0.200	
1,1-Dichloroethane, ug/L	<0.300	
1,1-Dichloroethene, ug/L	0.300	
1,2-Dibromoethane, ug/L	<0.200	
1,2-Dichlorobenzene, ug/L	<0.500	
1,2-Dichloroethane, ug/L	<0.500	
1,2-Dichloropropane, ug/L	<0.200	
1,3-Dichlorobenzene, ug/L	<0.500	
1,4-Dichlorobenzene, ug/L	<0.500	
Bromodichloromethane, ug/L	<0.200	
Bromoform, ug/L	<0.500	
Bromomethane, ug/L	<1.000	
Carbon Tetrachloride, ug/L	<0.200	
Chlorobenzene, ug/L	<0.500	
Chlorodibromomethane, ug/L	<0.200	
Chloroethane, ug/L	<0.500	
Chloroform, ug/L	1.700	
Chloromethane, ug/L	<1.000	
cis 1,2-Dichloroethene, ug/L	<0.200	
cis 1,3-Dichloropropene, ug/L	<0.200	
Methylene Chloride, ug/L	<2.000	
Tetrachloroethene, ug/L	<0.500	
trans 1,2-Dichloroethene, ug/L	<1.000	
Trans-1,3 Dichloropropene, ug/L	<0.200	
Trichloroethene, ug/L	<0.300	
Trichlorofluoromethane, ug/L	0.300	
Vinyl Chloride, ug/L	<0.500	
Sample Date: 04/02/2007		
	PSMW-11	
1,1,1-Trichloroethane, ug/L	<1.000	
1,1,2,2-Tetrachloroethane, ug/L	<0.500	

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-11

1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	<0.300
1,1,2-Dichloroethene, ug/L	0.300
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	2.200
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	0.600
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3-Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	0.300
Vinyl Chloride, ug/L	<0.500

Sample Date: 10/16/2007

PSMW-11

1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	<0.300
1,1-Dichloroethene, ug/L	<0.500
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500

Person Station

All Parameters vs Specified Locations by Date

PSMW-11

1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	1.400
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	<0.500
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 04/15/2008

PSMW-11

1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	<0.300
1,1-Dichloroethene, ug/L	<0.200
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

PSMW-11

Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	0.600
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	<0.500
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 10/08/2008

PSMW-11

1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloroethene, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.
MANAGES

Person Station

All Parameters vs Specified Locations by Date

	PSMW-11
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<1.000
Butylbenzene, n-, ug/L	<1.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<1.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethybenzene, ug/L	<1.000
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
Propylbenzene, n-, ug/L	<1.000
Styrene, ug/L	<1.000
Tetrachloroethene, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

	PSMW-11	
Toluene, ug/L	<1.000	
trans 1,2-Dichloroethene, ug/L	<1.000	
Trans-1,3 Dicloropropene, ug/L	<1.000	
Trichlorofluoromethane, ug/L	<1.000	
Vinyl Chloride, ug/L	<1.000	
Xylene, total, ug/L	<1.500	
Sample Date: 04/14/2009		
	PSMW-11	
1,1,1,2-Tetrachloroethane, ug/L	<1.000	
1,1,1-Trichloroethane, ug/L	<1.000	
1,1,2,2-Tetrachloroethane, ug/L	<2.000	
1,1,2-Trichloroethane, ug/L	<1.000	
1,1-Dichloroethane, ug/L	<1.000	
1,1-Dichloroethene, ug/L	<1.000	
1,1-Dichloropropene, ug/L	<1.000	
1,2,3-Trichlorobenzene, ug/L	<1.000	
1,2,3-Trichloropropane, ug/L	<2.000	
1,2,4-Trichlorobenzene, ug/L	<1.000	
1,2,4-Trimethylbenzene, ug/L	<1.000	
1,2-Dibromoethane, ug/L	<1.000	
1,2-Dichlorobenzene, ug/L	<1.000	
1,2-Dichloroethane, ug/L	<1.000	
1,2-Dichloropropane, ug/L	<1.000	
1,3,5-Trimethylbenzene, ug/L	<1.000	
1,3-Dichlorobenzene, ug/L	<1.000	
1,3-Dichloropropane, ug/L	<1.000	
1,4-Dichlorobenzene, ug/L	<1.000	
1-Methylnaphthalene, ug/L	<4.000	
2,2-Dichloropropane, ug/L	<2.000	
2-Hexanone, ug/L	<10.000	
2-Methylnaphthalene, ug/L	<4.000	
4-Methyl-2-pentanone, ug/L	<10.000	
Acetone, ug/L	<10.000	
Benzene, ug/L	<1.000	
Bromobenzene, ug/L	<1.000	
Bromodichloromethane, ug/L	<1.000	
Bromoform, ug/L	<1.000	

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

	PSMW-11
Bromomethane, ug/L	<1.000
Butylbenzene, n-, ug/L	<1.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<1.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
Propylbenzene, n-, ug/L	<1.000
Styrene, ug/L	<1.000
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3-Dichloropropene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Person Station

All Parameters vs Specified Locations by Date

Sample Date: 10/26/2009

	PSMW-11
1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloroethylene, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<1.000
Butylbenzene, n-, ug/L	<1.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

PSMW-11

Chlorodibromomethane, ug/L <1.000

Chloroethane, ug/L <2.000

Chloroform, ug/L <1.000

Chloromethane, ug/L <1.000

Chlorotoluene, o-, ug/L <1.000

Chlorotoluene, p-, ug/L <1.000

cis 1,2-Dichloroethene, ug/L <1.000

cis 1,3-Dichloropropene, ug/L <1.000

DBCP, ug/L <2.000

Dichlorodifluoromethane, ug/L <1.000

Ethybenzene, ug/L <1.000

Hexachlorobutadiene, ug/L <1.000

Isopropylbenzene, ug/L <1.000

Isopropyltoluene, p-, ug/L <1.000

MEK, ug/L <10.000

Methylene Bromide, ug/L <1.000

Methylene Chloride, ug/L <3.000

MIBE, ug/L <1.000

Naphthalene, ug/L <2.000

Propylbenzene, n-, ug/L <1.000

Styrene, ug/L <1.000

Tetrachloroethene, ug/L <1.000

Toluene, ug/L <1.000

trans 1,2-Dichloroethene, ug/L <1.000

Trans-1,3 Dichloropropene, ug/L <1.000

Trichlorofluoromethane, ug/L <1.000

Vinyl Chloride, ug/L <1.000

Xylene, total, ug/L <1.500

Sample Date: 04/12/2010

PSMW-11

1,1,1,2-Tetrachloroethane, ug/L <1.000

1,1,1-Trichloroethane, ug/L <1.000

1,1,2,2-Tetrachloroethane, ug/L <1.000

1,1,2-Trichloroethane, ug/L <1.000

1,1-Dichloroethane, ug/L <1.000

1,1-Dichloroethene, ug/L <1.000

1,1-Dichloropropene, ug/L <1.000

Person Station

All Parameters vs Specified Locations by Date

	PSMW-11
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,2,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<1.000
Butylbenzene, n-, ug/L	<1.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<1.000
Chlorotoluene, α -, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	>2.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

	PSMW-11	
Dichlorodifluoromethane, ug/L	<1.000	
Ethylbenzene, ug/L	<1.000	
Hexachlorobutadiene, ug/L	<1.000	
Isopropylbenzene, ug/L	<1.000	
Isopropyltoluene, p-, ug/L	<1.000	
MEK, ug/L	<10.000	
Methylene Bromide, ug/L	<1.000	
Methylene Chloride, ug/L	<3.000	
MTBE, ug/L	<1.000	
Naphthalene, ug/L	<2.000	
Propylbenzene, n-, ug/L	<1.000	
Styrene, ug/L	<1.000	
Tetrachloroethene, ug/L	<2.000	
Toluene, ug/L	<1.000	
trans 1,2-Dichloroethene, ug/L	<1.000	
Trans-1,3 Dichloropropene, ug/L	<1.000	
Trichloroethene, ug/L	<1.000	
Trichlorofluoromethane, ug/L	<1.000	
Vinyl Chloride, ug/L	<1.000	
Xylene, total, ug/L	<1.500	
Sample Date: 10/20/2010		
	PSMW-11	
1,1,1,2-Tetrachloroethane, ug/L	<1.000	
1,1,1-Trichloroethane, ug/L	<1.000	
1,1,2,2-Tetrachloroethane, ug/L	<1.000	
1,1,2-Trichloroethane, ug/L	<1.000	
1,1-Dichloroethane, ug/L	<1.000	
1,1-Dichloroethene, ug/L	<1.000	
1,1-Dichloropropene, ug/L	<1.000	
1,2,3-Trichlorobenzene, ug/L	<1.000	
1,2,3-Trichloropropane, ug/L	<2.000	
1,2,4-Trichlorobenzene, ug/L	<1.000	
1,2,4-Trimethylbenzene, ug/L	<1.000	
1,2-Dibromoethane, ug/L	<1.000	
1,2-Dichlorobenzene, ug/L	<1.000	
1,2-Dichloroethane, ug/L	<1.000	
1,2-Dichloropropane, ug/L	<1.000	

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

MANAGES

Person Station

All Parameters vs Specified Locations by Date

PSMW-11

1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<1.000
Butylbenzene, n-, ug/L	<1.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<1.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-11

MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
Propylbenzene, n-, ug/L	<1.000
Styrene, ug/L	<1.000
Tetrachloroethene, ug/L	<2.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichloroethene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 09/27/2011

PSMW-11

1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<1.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloroethene, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

MANAGES

Person Station

All Parameters vs Specified Locations by Date

	PSMW-11
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<1.000
Butylbenzene, n-, ug/L	<1.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<1.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
Propylbenzene, n-, ug/L	<1.000
Styrene, ug/L	<1.000
Tetrachloroethene, ug/L	<2.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-11
Trichloroethene, ug/L <1.000
Trichlorofluoromethane, ug/L <1.000
Vinyl Chloride, ug/L <1.000
Xylene, total, ug/L <1.500

Sample Date: 06/01/2012

PSMW-11
1,1,1-Trichloroethane, ug/L <1.000
1,2-Dichlorethane, ug/L <1.000
Tetrachloroethene, ug/L <1.000

Sample Date: 06/13/2012

PSMW-11
1,1,1-Trichloroethane, ug/L <1.000
1,2-Dichlorethane, ug/L <1.000
GW Depth (TOC), ft 159.180
GW Elv, ft 4,896.300
pH (field), STD 7.170
Spec. Cond. (lab), micromhos/cm 1.086
Temp (Fahrenheit), degrees F 73.200
Tetrachloroethene, ug/L <1.000

Sample Date: 10/17/2012

PSMW-11
1,1,1,2-Tetrachloroethane, ug/L <1.000
1,1,1-Trichloroethane, ug/L <1.000
1,1,2,2-Tetrachloroethane, ug/L <2.000
1,1,2-Trichloroethane, ug/L <1.000
1,1-Dichloroethane, ug/L <1.000
1,1-Dichloroethene, ug/L <1.000
1,1-Dichloropropene, ug/L <1.000
1,2,3-Trichlorobenzene, ug/L <1.000
1,2,3-Trichloropropane, ug/L <2.000
1,2,4-Trichlorobenzene, ug/L <1.000
1,2,4-Trimethylbenzene, ug/L <1.000
1,2-Dibromoethane, ug/L <1.000
1,2-Dichlorobenzene, ug/L <1.000
1,2-Dichloroethane, ug/L <1.000

Person Station

All Parameters vs Specified Locations by Date

	PSMW-11
1,2-Dichlorethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<3.000
Butylbenzene, n-, ug/L	<3.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, o-, ug/L	<2.000
Chlorotoluene, p-, ug/L	<1.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<3.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethybenzene, ug/L	<1.000
GW Depth (TOC), ft	159.610
GW Ely, ft	4,895.870
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

MANAGERS

Person Station

All Parameters vs Specified Locations by Date

PSMW-11

Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
pH (field), STD	7.240
Propylbenzene, n-, ug/L	<1.000
Spec. Cond. (lab), micromhos/cm	901
Styrene, ug/L	<1.000
Temp (Fahrenheit), degrees F	68.300
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichloroethene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 10/31/2013

PSMW-11

1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloroethene, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

	PSMV-11
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<3.000
Butylbenzene, n-, ug/L	<3.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<3.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.00
Dichlorodifluoromethane, ug/L	<1.000
GW Depth (TOC), ft	158.430
GW Elv, ft	4,897.050
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-11

MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
pH (field), STD	7.220
Propylbenzene, n-, ug/L	<1.000
Spec. Cond. (lab), micromhos/cm	1,063
Styrene, ug/L	<1.000
Temp (Fahrenheit), degrees F	64.600
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 10/28/2014

PSMW-11

1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloroethene, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000

Person Station

All Parameters vs Specified Locations by Date

	PSMW-11
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<3.000
Butylbenzene, n-, ug/L	<3.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<3.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
GW Depth (TOC), ft	157.800
GW Elv, ft	4,897.680
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
pH (field), STD	7.690
Propylbenzene, n-, ug/L	<1.000
Spec. Cond. (lab), micromhos/cm450	

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-11

Styrene, ug/L	<1.000
Temp (Fahrenheit), degrees F	66.600
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3-Dichloropropene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 10/23/2015

PSMW-11

1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloroethene, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methyl-2-pentanone, ug/L	<1.000
2-Methylphthalene, ug/L	<4.000
Acetone, ug/L	<1.000
Benzene, ug/L	<1.000

Person Station**All Parameters vs Specified Locations by Date**

	PSMW-11
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<3.000
Butylbenzene, n-, ug/L	<3.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<1.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<3.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylibenzene, ug/L	<1.000
GW Depth (TOC), ft	156.310
GW Elv, ft	4,899.170
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<1.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<1.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
pH (field), STD	8.200
Propylbenzene, n-, ug/L	<3.000
Spec. Cond. (lab), micromhos/cm	1,068
Styrene, ug/L	<1.000
Temp (Fahrenheit), degrees F	67.100
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-11

trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Person Station

All Parameters vs Specified Locations by Date

Sample Date: 03/28/2000

PSMW-17
GW Depth (TOC), ft
184.250

Sample Date: 04/03/2000

PSMW-17
1,1,1-Trichloroethane, ug/L 0.900
1,1,2-Tetrachloroethane, ug/L <0.500
1,1,2-Trichloroethane, ug/L <0.200
1,1-Dichloroethane, ug/L 1.900
1,1-Dichloroethene, ug/L 2.600
1,2-Dibromoethane, ug/L <0.200
1,2-Dichlorobenzene, ug/L <0.500
1,2-Dichloroethane, ug/L <0.500
1,2-Dichloropropane, ug/L <0.200
1,3-Dichlorobenzene, ug/L <0.500
1,4-Dichlorobenzene, ug/L <0.500
Bromodichloromethane, ug/L <0.200
Bromoform, ug/L <0.500
Bromomethane, ug/L <1.000
Carbon Tetrachloride, ug/L <0.200
Chlorobenzene, ug/L <0.500
Chlorodibromomethane, ug/L <0.200
Chloroethane, ug/L <0.500
Chloroform, ug/L 0.600
Chloromethane, ug/L <1.000
cis 1,2-Dichloroethene, ug/L <0.200
cis 1,3-Dichloropropene, ug/L <0.200
Methylene Chloride, ug/L <2.000
Tetrachloroethene, ug/L <0.500
trans 1,2-Dichloroethene, ug/L <1.000
Trans-1,3-Dichloropropene, ug/L <0.200
Trichloroethene, ug/L <0.300
Trichlorofluoromethane, ug/L <0.200
Vinyl Chloride, ug/L <0.500

Person Station

All Parameters vs Specified Locations by Date

Sample Date: 09/26/2000

	PSMW-17
1,1,1-Trichloroethane, ug/L	2.900
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	2.800
1,1-Dichloroethene, ug/L	3.900
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	1.000
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
GW Depth (TOC), ft.	185.720
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	<0.500
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3-Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 04/01/2002

	PSMW-17
1,1,1-Trichloroethane, ug/L	1.700
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200

Person Station

All Parameters vs Specified Locations by Date

PSMW-17

1,1-Dichloroethane, ug/L	3.400
1,1-Dichloroethene, ug/L	3.100
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,2-Dichloroethane, ug/L	<0.500
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	1.400
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	<0.500
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 10/01/2002

PSMW-17

1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	2.200
1,1-Dichloroethene, ug/L	1.700
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200

Person Station

All Parameters vs Specified Locations by Date

PSMW-17

1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	<0.500
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 04/02/2003

PSMW-17

1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	2.100
1,1-Dichloroethene, ug/L	1.000
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200

Person Station

All Parameters vs Specified Locations by Date

PSMW-17

Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	0.800
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	<0.500
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 10/07/2003

PSMW-17

1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	1.300
1,1-Dichloroethene, ug/L	0.500
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200

Person Station

All Parameters vs Specified Locations by Date

PSMW-17		
cis 1,3-Dichloropropene, ug/L	<0.200	<1.000
Methylene Chloride, ug/L	<2.000	<0.500
Tetrachloroethene, ug/L	<0.500	<1.000
trans 1,2-Dichloroethene, ug/L	<0.200	<0.200
Trans-1,3 Dichloropropene, ug/L	<0.300	<0.300
Trichloroethene, ug/L	<0.300	<0.200
Trichlorofluoromethane, ug/L	<0.200	<0.500
Vinyl Chloride, ug/L	<0.500	
Sample Date: 04/05/2004		
PSMW-17		
1,1,1-Trichloroethane, ug/L	<0.200	<0.500
1,1,2,2-Tetrachloroethane, ug/L	<0.500	<0.200
1,1,2-Trichloroethane, ug/L	<0.200	<1.200
1,1-Dichloroethane, ug/L	0.400	
1,1-Dichloroethene, ug/L	<0.200	<0.500
1,2-Dibromoethane, ug/L	<0.200	<0.500
1,2-Dichlorobenzene, ug/L	<0.500	<0.500
1,2-Dichloroethane, ug/L	<0.200	<0.500
1,2-Dichloropropane, ug/L	<0.200	<0.500
1,3-Dichlorobenzene, ug/L	<0.500	<0.500
1,4-Dichlorobenzene, ug/L	<0.500	<0.200
Bromodichloromethane, ug/L	<0.500	<0.500
Bromoform, ug/L	<0.500	<1.000
Bromomethane, ug/L	<1.000	<0.200
Carbon Tetrachloride, ug/L	<0.200	<0.500
Chlorobenzene, ug/L	<0.500	<0.200
Chlorodibromomethane, ug/L	<0.200	<0.500
Chloroethane, ug/L	<0.500	<0.500
Chloroform, ug/L	<0.500	<1.000
Chloromethane, ug/L	<1.000	<0.200
cis 1,2-Dichloroethene, ug/L	<0.200	<1.000
cis 1,3-Dichloropropene, ug/L	<2.000	<0.500
Methylene Chloride, ug/L	<2.000	<0.200
Tetrachloroethene, ug/L	<0.500	<0.300
Trans-1,3 Dichloropropene, ug/L	<0.200	<0.200
Trichloroethene, ug/L	<0.300	
Trichlorofluoromethane, ug/L	<0.200	

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

	PSMW-17	Vinyl Chloride, ug/L
Sample Date:	10/06/2004	<0.500
1,1,1-Trichloroethane, ug/L	<1.000	
1,1,2,2-Tetrachloroethane, ug/L	<0.500	
1,1,2-Trichloroethane, ug/L	<0.200	
1,1-Dichloroethane, ug/L	1.100	
1,1-Dichloroethene, ug/L	0.300	
1,2-Dibromoethane, ug/L	<0.200	
1,2-Dichlorobenzene, ug/L	<0.500	
1,2-Dichloroethane, ug/L	<0.500	
1,2-Dichloropropane, ug/L	<0.200	
1,3-Dichlorobenzene, ug/L	<0.500	
1,4-Dichlorobenzene, ug/L	<0.500	
Bromodichloromethane, ug/L	<0.200	
Bromoform, ug/L	<0.500	
Bromomethane, ug/L	<1.000	
Carbon Tetrachloride, ug/L	<0.200	
Chlorobenzene, ug/L	<0.500	
Chlorodibromomethane, ug/L	<0.200	
Chloroethane, ug/L	<0.500	
Chloroform, ug/L	<0.500	
Chloromethane, ug/L	<1.000	
cis 1,2-Dichloroethene, ug/L	<0.200	
cis 1,3-Dichloropropene, ug/L	<0.200	
Methylene Chloride, ug/L	<2.000	
Tetrachloroethene, ug/L	<0.500	
trans 1,2-Dichloroethene, ug/L	<1.000	
Trans-1,3 Dichloropropene, ug/L	<0.200	
Trichloroethene, ug/L	<0.300	
Trichlorofluoromethane, ug/L	<0.200	
Vinyl Chloride, ug/L	<0.500	

Sample Date: 10/03/2005

	PSMW-17	1,1,1-Trichloroethane, ug/L
Sample Date:	10/03/2005	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500	

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

MANAGES

Person Station

All Parameters vs Specified Locations by Date

	PSMW-17
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	0.700
1,1-Dichloroethene, ug/L	<0.200
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	<0.500
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500
Sample Date: 04/18/2007	
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	0.400
1,1-Dichloroethene, ug/L	<0.500
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

MANAGES

Person Station

All Parameters vs Specified Locations by Date

PSMW-17

1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	<0.500
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 10/08/2007

PSMW-17

1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	<0.300
1,1-Dichloroethene, ug/L	<0.500
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

	PSMW-17
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	<0.500
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 04/02/2008

	PSMW-17
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	0.300
1,1-Dichloroethene, ug/L	<0.200
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

	PSMW-17
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<2.000
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	<0.500
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500
Sample Date: 10/02/2008	
	PSMW-17
1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloroethene, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trichloropropane, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

	PSMW-17
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<1.000
Butylbenzene, n-, ug/L	<1.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<1.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
Propylbenzene, n-, ug/L	<1.000
Styrene, ug/L	<1.000
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Person Station

All Parameters vs Specified Locations by Date

Sample Date: 04/02/2009

	PSMW-17
1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloroethene, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichloropropane, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<1.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<1.000
Butylbenzene, n-, ug/L	<1.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

	PSMW-17
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<1.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
Propylbenzene, n-, ug/L	<1.000
Styrene, ug/L	<1.000
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 10/08/2009

	PSMW-17
1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloroethene, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

PSMW-17	
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<1.000
Butylbenzene, n-, ug/L	<1.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<1.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000

Person Station

All Parameters vs Specified Locations by Date

	PSMW-17
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
Propylbenzene, n-, ug/L	<1.000
Styrene, ug/L	<1.000
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3-Dichloropropene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 04/05/2010

	PSMW-17
1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<1.000
1,1,2,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloroethene, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

	PSMW-17
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<1.000
Butylbenzene, n-, ug/L	<1.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, o-, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<1.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylens Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-17

Naphthalene, ug/L	<2.000
Propylbenzene, n-, ug/L	<1.000
Styrene, ug/L	<1.000
Tetrachloroethene, ug/L	<2.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3-Dichloropropene, ug/L	<1.000
Trichloroethene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 10/05/2010

PSMW-17

1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<1.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloroethene, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloroethane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

MANAGES

Person Station

All Parameters vs Specified Locations by Date

	PSMW-17
Acetone, ug/L	<10,000
Benzene, ug/L	<1,000
Bromobenzene, ug/L	<1,000
Bromodichloromethane, ug/L	<1,000
Bromoform, ug/L	<1,000
Bromomethane, ug/L	<1,000
Butylbenzene, n-, ug/L	<1,000
Butylbenzene, sec-, ug/L	<1,000
Butylbenzene, tert-, ug/L	<1,000
Carbon disulfide, ug/L	<10,000
Carbon Tetrachloride, ug/L	<1,000
Chlorobenzene, ug/L	<1,000
Chlorodibromomethane, ug/L	<1,000
Chloroethane, ug/L	<2,000
Chloroform, ug/L	<1,000
Chloromethane, ug/L	<1,000
Chlorotoluene, o-, ug/L	<1,000
Chlorotoluene, p-, ug/L	<1,000
cis 1,2-Dichloroethene, ug/L	<1,000
cis 1,3-Dichloropropene, ug/L	<1,000
DBCP, ug/L	<2,000
Dichlorodifluoromethane, ug/L	<1,000
Ethylbenzene, ug/L	<1,000
Hexachlorobutadiene, ug/L	<1,000
Isopropylbenzene, ug/L	<1,000
Isopropyltoluene, p-, ug/L	<1,000
MEK, ug/L	<10,000
Methylene Bromide, ug/L	<1,000
Methylene Chloride, ug/L	<3,000
MTBE, ug/L	<1,000
Naphthalene, ug/L	<2,000
Propylbenzene, n-, ug/L	<1,000
Styrene, ug/L	<1,000
Tetrachloroethene, ug/L	<2,000
Toluene, ug/L	<1,000
trans 1,2-Dichloroethene, ug/L	<1,000
Trans-1,3 Dichloropropene, ug/L	<1,000
Trichloroethene, ug/L	<1,000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

Sample Date:	09/28/2011	PSMW-17
Trichlorofluoromethane, ug/L	<1.000	<1.000
Vinyl Chloride, ug/L	<1.000	<1.000
Xylene, total, ug/L	<1.500	<1.000
1,1,1,2-Tetrachloroethane, ug/L	<1.000	<1.000
1,1,1-Trichloroethane, ug/L	<1.000	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<1.000	<1.000
1,1,2-Trichloroethane, ug/L	<1.000	<1.000
1,1-Dichloroethane, ug/L	<1.000	<1.000
1,1-Dichloroethene, ug/L	<1.000	<1.000
1,1-Dichloropropene, ug/L	<1.000	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000	<1.000
1,2,3-Trichloropropane, ug/L	<2.000	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000	<1.000
1,2-Dibromoethane, ug/L	<1.000	<1.000
1,2-Dichlorobenzene, ug/L	<1.000	<1.000
1,2-Dichloroethane, ug/L	<1.000	<1.000
1,2-Dichloropropane, ug/L	<1.000	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000	<1.000
1,3-Dichlorobenzene, ug/L	<1.000	<1.000
1,3-Dichloropropane, ug/L	<1.000	<1.000
1,4-Dichlorobenzene, ug/L	<1.000	<1.000
1-Methylnaphthalene, ug/L	<4.000	<4.000
2,2-Dichloropropane, ug/L	<2.000	<2.000
2-Hexanone, ug/L	<10.000	<10.000
2-Methylnaphthalene, ug/L	<4.000	<4.000
4-Methyl-2-pentanone, ug/L	<10.000	<10.000
Acetone, ug/L	<10.000	<10.000
Benzene, ug/L	<1.000	<1.000
Bromobenzene, ug/L	<1.000	<1.000
Bromodichloromethane, ug/L	<1.000	<1.000
Bromoform, ug/L	<1.000	<1.000
Bromomethane, ug/L	<1.000	<1.000
Butylbenzene, n, ug/L	<1.000	<1.000
Butylbenzene, sec-, ug/L	<1.000	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

MANAGES

Person Station

All Parameters vs Specified Locations by Date

PSMW-17

Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<1.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
Propylbenzene, n-, ug/L	<1.000
Styrene, ug/L	<1.000
Tetrachloroethene, ug/L	<2.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichloroethene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 06/21/2012

PSMW-17

1,1,1-Trichloroethane, ug/L	<1.000
1,2-Dichloroethene, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

	PSMW-17	PSMW-17
GW Depth (TOC), ft	184.620	<1.000
GW Elv, ft	4,893.130	<1.000
pH (field), STD	7.270	<2.000
Spec. Cond. (lab), micromhos/cm	689	<1.000
Temp (Fahrenheit), degrees F	75.400	<1.000
Tetrachloroethene, ug/L		
Sample Date: 11/16/2012		
1,1,1,2-Tetrachloroethane, ug/L	<1.000	<1.000
1,1,1-Trichloroethane, ug/L	<1.000	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000	<1.000
1,1,2-Trichloroethane, ug/L	<1.000	<1.000
1,1-Dichloroethane, ug/L	<1.000	<1.000
1,1-Dichloroethene, ug/L	<1.000	<1.000
1,1-Dichloropropene, ug/L	<1.000	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000	<1.000
1,2,3-Trichloropropane, ug/L	<2.000	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000	<1.000
1,2-Dibromoethane, ug/L	<1.000	<1.000
1,2-Dichlorobenzene, ug/L	<1.000	<1.000
1,2-Dichloroethane, ug/L	<1.000	<1.000
1,2-Dichloroethene, ug/L	<1.000	<1.000
1,2-Dichloropropane, ug/L	<1.000	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000	<1.000
1,3-Dichlorobenzene, ug/L	<1.000	<1.000
1,3-Dichloropropane, ug/L	<1.000	<1.000
1,4-Dichlorobenzene, ug/L	<1.000	<1.000
1-Methylnaphthalene, ug/L	<4.000	<10.000
2,2-Dichloropropane, ug/L	<2.000	<2.000
2-Hexanone, ug/L	<10.000	<10.000
2-Methylnaphthalene, ug/L	<4.000	<4.000
4-Methyl-2-pentanone, ug/L	<10.000	<10.000
Acetone, ug/L	<10.000	<10.000
Benzene, ug/L	<1.000	<1.000
Bromobenzene, ug/L	<1.000	<1.000
Bromodichloromethane, ug/L	<1.000	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

MANAGES

Person Station

All Parameters vs Specified Locations by Date

PSMW-17

Bromoform, ug/L	<1.000
Bromomethane, ug/L	<3.000
Butylbenzene, n-, ug/L	<3.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<3.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis ,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
GW Depth (TOC), ft	185.210
GW Elv, ft	4,892.540
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
pH (field), STD	7.410
Propylbenzene, n-, ug/L	<1.000
Spec. Cond. (lab), micromhos/cm	690
Styrene, ug/L	<1.000
Temp (Fahrenheit), degrees F	62.000
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

	PSMW-17	
Trichloroethene, ug/L	<1.000	<1.000
Trichlorofluoromethane, ug/L	<1.000	<1.000
Vinyl Chloride, ug/L	<1.000	<1.000
Xylene, total, ug/L	<1.500	<1.500
Sample Date: 11/01/2013		
	PSMW-17	
1,1,1,2-Tetrachloroethane, ug/L	<1.000	<1.000
1,1,1-Trichloroethane, ug/L	<1.000	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000	<2.000
1,1,2-Trichloroethane, ug/L	<1.000	<1.000
1,1-Dichloroethane, ug/L	<1.000	<1.000
1,1-Dichloroethene, ug/L	<1.000	<1.000
1,1-Dichloropropene, ug/L	<1.000	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000	<1.000
1,2,3-Trichloropropane, ug/L	<2.000	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000	<1.000
1,2-Dibromoethane, ug/L	<1.000	<1.000
1,2-Dichlorobenzene, ug/L	<1.000	<1.000
1,2-Dichloroethane, ug/L	<1.000	<1.000
1,2-Dichloroethylene, ug/L	<1.000	<1.000
1,2,2-Dichloroethene, ug/L	<1.000	<1.000
1,2,2-Dichloropropane, ug/L	<1.000	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000	<1.000
1,3-Dichlorobenzene, ug/L	<1.000	<1.000
1,3-Dichloropropane, ug/L	<1.000	<1.000
1,4-Dichlorobenzene, ug/L	<1.000	<1.000
1-Methylnaphthalene, ug/L	<4.000	<4.000
2,2-Dichloropropane, ug/L	<2.000	<2.000
2-Hexanone, ug/L	<10.000	<10.000
2-Methylnaphthalene, ug/L	<4.000	<4.000
4-Methyl-2-pentanone, ug/L	<10.000	<10.000
Acetone, ug/L	<10.000	<10.000
Benzene, ug/L	<1.000	<1.000
Bromobenzene, ug/L	<1.000	<1.000
Bromodichloromethane, ug/L	<1.000	<1.000
Bromoform, ug/L	<1.000	<1.000
Bromomethane, ug/L	<3.000	<3.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-17

Butylbenzene, n-, ug/L	<3,000
Butylbenzene, sec-, ug/L	<1,000
Butylbenzene, tert-, ug/L	<1,000
Carbon disulfide, ug/L	<10,000
Carbon Tetrachloride, ug/L	<1,000
Chlorobenzene, ug/L	<1,000
Chlorodibromomethane, ug/L	<1,000
Chloroethane, ug/L	<2,000
Chloroform, ug/L	<1,000
Chloromethane, ug/L	<3,000
Chlorotoluene, o-, ug/L	<1,000
Chlorotoluene, p-, ug/L	<1,000
cis 1,2-Dichloroethene, ug/L	<1,000
cis 1,3-Dichloropropene, ug/L	<1,000
DBCP, ug/L	<2,000
Dichlorodifluoromethane, ug/L	<1,000
GW Depth (TOC), ft	183,900
GW EIN, ft	4,892,350
Hexachlorobutadiene, ug/L	<1,000
Isopropylbenzene, ug/L	<1,000
Isopropyltoluene, p-, ug/L	<1,000
MEK, ug/L	<10,000
Methylene Bromide, ug/L	<1,000
Methylene Chloride, ug/L	<3,000
MTBE, ug/L	<1,000
Naphthalene, ug/L	<2,000
pH (field), STD	7.280
Propylbenzene, n-, ug/L	<1,000
Spec. Cond. (lab), micromhos/cm	1,010
Styrene, ug/L	<1,000
Temp (Fahrenheit), degrees F	67.500
Tetrachloroethene, ug/L	<1,000
Toluene, ug/L	<1,000
trans 1,2-Dichloroethene, ug/L	<1,000
Trans-1,3 Dichloropropene, ug/L	<1,000
Trichloroethene, ug/L	<1,000
Trichlorofluoromethane, ug/L	<1,000
Vinyl Chloride, ug/L	<1,000

Person Station

All Parameters vs Specified Locations by Date

	PSMW-17	PSMW-17
Sample Date:	10/27/2014	10/27/2014
Xylene, total, ug/L	<1.500	
1,1,1,2-Tetrachloroethane, ug/L	<1.000	
1,1,1-Trichloroethane, ug/L	<1.000	
1,1,2,2-Tetrachloroethane, ug/L	<2.000	
1,1,2-Trichloroethane, ug/L	<1.000	
1,1-Dichloroethane, ug/L	<1.000	
1,1-Dichloropropene, ug/L	<1.000	
1,2,3-Trichlorobenzene, ug/L	<1.000	
1,2,3-Trichloropropane, ug/L	<2.000	
1,2,4-Trichlorobenzene, ug/L	<1.000	
1,2,4-Trimethylbenzene, ug/L	<1.000	
1,2-Dibromoethane, ug/L	<1.000	
1,2-Dichlorobenzene, ug/L	<1.000	
1,2-Dichloroethane, ug/L	<1.000	
1,2-Dichloropropane, ug/L	<1.000	
1,3,5-Trimethylbenzene, ug/L	<1.000	
1,3-Dichlorobenzene, ug/L	<1.000	
1,3-Dichloropropane, ug/L	<1.000	
1,4-Dichlorobenzene, ug/L	<1.000	
1-Methylaphthalene, ug/L	<4.000	
2,2-Dichloropropane, ug/L	<2.000	
2-Hexanone, ug/L	<10.000	
2-Methylaphthalene, ug/L	<4.000	
4-Methyl-2-pentanone, ug/L	<10.000	
Acetone, ug/L	<10.000	
Bromoform, ug/L	<1.000	
Bromomethane, ug/L	>3.000	
Butylbenzene, n-, ug/L	<3.000	
Butylbenzene, sec-, ug/L	<1.000	
Butylbenzene, tert-, ug/L	<1.000	
Dichlorodifluoromethane, ug/L	<1.000	

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-17

GW Depth (TOC), ft	182.760
GW Elv, ft	4,894.990
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
pH (field), STD	7.410
Propylbenzene, n-, ug/L	<1.000
Spec. Cond. (lab), micromhos/cm	937
Styrene, ug/L	<1.000
Temp (Fahrenheit), degrees F	66.000
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 10/27/2015

PSMW-17

1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

PSMW-17

1,2-Dichloroethene, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
Benzene, ug/L	<1.000
2-Methyl-2-pentanone, ug/L	<4.000
2-Methylnaphthalene, ug/L	<1.000
Acetone, ug/L	<1.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<3.000
Butylbenzene, n-, ug/L	<3.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<1.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, o-, ug/L	<2.000
Chlorotoluene, p-, ug/L	<1.000
Chloromethane, ug/L	<3.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
GW Depth (TOC), ft	181.260
GW Elv, ft	4.896.490
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

	PSMW-17
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<1.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<1.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
pH (field), STD	7.350
Propylbenzene, n-, ug/L	<3.000
Spec. Cond. (lab), micromhos/cm	937
Styrene, ug/L	<1.000
Temp (Fahrenheit), degrees F	66.700
Tetrachlorethane, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Person Station

All Parameters vs Specified Locations by Date

Sample Date: 03/28/2000

PSMW-20
GW Depth (TOC), ft
219.450

Sample Date: 09/26/2000

PSMW-20
GW Depth (TOC), ft
220.690

Sample Date: 04/02/2002

PSMW-20
1,1,1-Trichloroethane, ug/L <1.000
1,1,2,2-Tetrachloroethane, ug/L <0.500
1,1,2-Trichloroethane, ug/L <0.200
1,1-Dichloroethane, ug/L <0.300
1,1-Dichloroethene, ug/L 0.400
1,2-Dibromoethane, ug/L <0.200
1,2-Dichlorobenzene, ug/L <0.500
1,2-Dichloroethane, ug/L <0.500
1,2-Dichloropropane, ug/L <0.200
1,3-Dichlorobenzene, ug/L <0.500
1,4-Dichlorobenzene, ug/L <0.500
Bromodichloromethane, ug/L <0.200
Bromoform, ug/L <0.500
Bromomethane, ug/L <1.000
Carbon Tetrachloride, ug/L <0.200
Chlorobenzene, ug/L <0.500
Chloroethane, ug/L <0.500
Chloroform, ug/L <0.500
Chloromethane, ug/L <1.000
cis 1,2-Dichloroethene, ug/L <0.200
cis 1,3-Dichloropropene, ug/L <0.200
Methylene Chloride, ug/L <2.000
Tetrachloroethene, ug/L <0.500
trans 1,2-Dichloroethene, ug/L <1.000
Trans-1,3 Dichloropropene, ug/L <0.200

Person Station

All Parameters vs Specified Locations by Date

PSMW-20	PSMW-20
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500
Sample Date: 09/30/2002	
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	<0.300
1,1-Dichloroethene, ug/L	0.300
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	0.800
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

Sample Date: 04/02/2003

	PSMW-20
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	<0.300
1,1-Dichloroethene, ug/L	0.300
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.00
Tetrachloroethene, ug/L	0.600
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 10/07/2003

	PSMW-20
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	<0.300

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-20

1,1-Dichloroethene, ug/L	0.600
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 04/07/2004

PSMW-20

1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	<0.300
1,1-Dichloroethene, ug/L	0.500
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500

Person Station

All Parameters vs Specified Locations by Date

PSMW-20

1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	0.800
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 10/06/2004

PSMW-20

1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	<0.500
1,1-Dichloroethene, ug/L	0.300
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

MANAGES

Person Station

All Parameters vs Specified Locations by Date

PSMW-20

Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	0.500
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 04/11/2005

PSMW-20

1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	<0.300
1,1-Dichloroethene, ug/L	<0.200
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-20

Methylene Chloride, ug/L	<2,000
Tetrachloroethene, ug/L	<0,500
Trans-1,3 Dichloropropene, ug/L	<0,200
Trichloroethene, ug/L	<0,300
Trichlorofluoromethane, ug/L	<0,200
Vinyl Chloride, ug/L	<0,500

Sample Date: 10/04/2005

PSMW-20

1,1,1-Trichloroethane, ug/L	<1,000
1,1,2,2-Tetrachloroethane, ug/L	<0,500
1,1,2-Trichloroethane, ug/L	<0,200
1,1-Dichloroethane, ug/L	<0,300
1,1-Dichloroethene, ug/L	0,300
1,2-Dibromoethane, ug/L	<0,200
1,2-Dichlorobenzene, ug/L	<0,500
1,2-Dichloroethane, ug/L	<0,500
1,2-Dichloropropane, ug/L	<0,200
1,3-Dichlorobenzene, ug/L	<0,500
1,4-Dichlorobenzene, ug/L	<0,500
Bromodichloromethane, ug/L	<0,200
Bromoform, ug/L	<0,500
Bromomethane, ug/L	<1,000
Carbon Tetrachloride, ug/L	<0,200
Chlorobenzene, ug/L	<0,500
Chlorodibromomethane, ug/L	<0,200
Chloroethane, ug/L	<0,500
Chloroform, ug/L	<0,500
Chloromethane, ug/L	<1,000
cis 1,2-Dichloroethene, ug/L	<0,200
Methylene Chloride, ug/L	<2,000
Tetrachloroethene, ug/L	<0,500
trans 1,2-Dichloroethene, ug/L	<1,000
Trans-1,3 Dichloropropene, ug/L	<0,200
Trichloroethene, ug/L	<0,300
Trichlorofluoromethane, ug/L	<0,200
Vinyl Chloride, ug/L	<0,500

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

Sample Date: 04/06/2007

PSMW-20

1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	<0.300
1,1-Dichloroethane, ug/L	<0.500
1,1-Dichloroethene, ug/L	<0.500
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.200
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	<0.500
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 10/09/2007

PSMW-20

1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	<0.300

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-20

1,1-Dichloroethene, ug/L	<0.500
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichlorethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500
1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	<0.500
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 04/03/2008

PSMW-20

1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<0.500
1,1,2-Trichloroethane, ug/L	<0.200
1,1-Dichloroethane, ug/L	<0.300
1,1-Dichloroethene, ug/L	<0.200
1,2-Dibromoethane, ug/L	<0.200
1,2-Dichlorobenzene, ug/L	<0.500
1,2-Dichloroethane, ug/L	<0.500
1,2-Dichloropropane, ug/L	<0.200
1,3-Dichlorobenzene, ug/L	<0.500

Person Station

All Parameters vs Specified Locations by Date

PSMV-20

1,4-Dichlorobenzene, ug/L	<0.500
Bromodichloromethane, ug/L	<0.200
Bromoform, ug/L	<0.500
Bromomethane, ug/L	<1.000
Carbon Tetrachloride, ug/L	<0.200
Chlorobenzene, ug/L	<0.500
Chlorodibromomethane, ug/L	<0.200
Chloroethane, ug/L	<0.500
Chloroform, ug/L	<0.500
Chloromethane, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<0.200
cis 1,3-Dichloropropene, ug/L	<0.200
Methylene Chloride, ug/L	<2.000
Tetrachloroethene, ug/L	<0.500
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<0.200
Trichloroethene, ug/L	<0.300
Trichlorofluoromethane, ug/L	<0.200
Vinyl Chloride, ug/L	<0.500

Sample Date: 10/03/2008

PSMV-20

1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloroethene, ug/L	<1.000
1,1-Dichloropropane, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

PSMW-20

1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylphthalene, ug/L	<4.000
4-Methyl-1-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichlormethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<1.000
Butylbenzene, n-, ug/L	<1.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<1.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station
All Parameters vs Specified Locations by Date

	PSMW-20
Naphthalene, ug/L	<2.000
Propylbenzene, n-, ug/L	<1.000
Styrene, ug/L	<1.000
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3-Dichloropropene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500
Sample Date: 04/13/2009	
	PSMW-20
1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichlorethane, ug/L	<1.000
1,1-Dichloroethene, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000

Person Station

All Parameters vs Specified Locations by Date

	PSMW-20
Benzene, ug/L	<1,000
Bromobenzene, ug/L	<1,000
Bromodichloromethane, ug/L	<1,000
Bromoform, ug/L	<1,000
Bromomethane, ug/L	<1,000
Butylbenzene, n-, ug/L	<1,000
Butylbenzene, sec-, ug/L	<1,000
Butylbenzene, terr-, ug/L	<1,000
Carbon disulfide, ug/L	<10,000
Carbon Tetrachloride, ug/L	<1,000
Chlorobenzene, ug/L	<1,000
Chlorodibromomethane, ug/L	<1,000
Chloroethane, ug/L	<2,000
Chloroform, ug/L	<1,000
Chloromethane, ug/L	<1,000
Chlorotoluene, o-, ug/L	<1,000
Chlorotoluene, p-, ug/L	<1,000
cis 1,2-Dichloroethene, ug/L	<1,000
cis 1,3-Dichloropropene, ug/L	<1,000
DBCP, ug/L	<2,000
Dichlordifluoromethane, ug/L	<1,000
Ethylbenzene, ug/L	<1,000
Hexachlorobutadiene, ug/L	<1,000
Isopropylbenzene, ug/L	<1,000
Isopropyltoluene, p-, ug/L	<1,000
MEK, ug/L	<10,000
Methylene Bromide, ug/L	<1,000
Methylene Chloride, ug/L	<3,000
MTBE, ug/L	<1,000
Naphthalene, ug/L	<2,000
Propylbenzene, n-, ug/L	<1,000
Styrene, ug/L	<1,000
Tetrachloroethene, ug/L	<1,000
Toluene, ug/L	<1,000
trans 1,2-Dichloroethene, ug/L	<1,000
Trans-1,3-Dichloropropene, ug/L	<1,000
Trichlorofluoromethane, ug/L	<1,000
Vinyl Chloride, ug/L	<1,000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

	PSMV-20	
Xylene, total, ug/L	<1,500	
Sample Date: 10/09/2009	PSMV-20	
1,1,1,2-Tetrachloroethane, ug/L	<1,000	
1,1,1-Trichloroethane, ug/L	<1,000	
1,1,2,2-Tetrachloroethane, ug/L	<2,000	
1,1,2-Trichloroethane, ug/L	<1,000	
1,1-Dichloroethane, ug/L	<1,000	
1,1-Dichloroethylene, ug/L	<1,000	
1,1-Dichloropropene, ug/L	<1,000	
1,2,3-Trichlorobenzene, ug/L	<1,000	
1,2,3-Trichloropropane, ug/L	<2,000	
1,2,4-Trichlorobenzene, ug/L	<1,000	
1,2,4-Trimethylbenzene, ug/L	<1,000	
1,2-Dibromoethane, ug/L	<1,000	
1,2-Dichlorobenzene, ug/L	<1,000	
1,2-Dichloroethane, ug/L	<1,000	
1,2-Dichloropropane, ug/L	<1,000	
1,3,5-Trimethylbenzene, ug/L	<1,000	
1,3-Dichlorobenzene, ug/L	<1,000	
1,3-Dichloropropane, ug/L	<1,000	
1,4-Dichlorobenzene, ug/L	<1,000	
1-Methylphthalene, ug/L	<4,000	
2,2-Dichloropropane, ug/L	<2,000	
2-Hexanone, ug/L	<10,000	
2-Methylphthalene, ug/L	<4,000	
4-Methyl-2-pentanone, ug/L	<10,000	
Acetone, ug/L	<1,000	
Benzene, ug/L	<1,000	
Bromobenzene, ug/L	<1,000	
Bromodichromethane, ug/L	<1,000	
Bromoform, ug/L	<1,000	
Bromomethane, ug/L	<1,000	
Butylbenzene, n-, ug/L	<1,000	
Butylbenzene, sec-, ug/L	<1,000	
Butylbenzene, tert-, ug/L	<1,000	
Carbon disulfide, ug/L	<10,000	

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

MANAGES

Person Station

All Parameters vs Specified Locations by Date

PSMW-20

Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<1.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MERK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
Propylbenzene, n-, ug/L	<1.000
Styrene, ug/L	<1.000
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 04/12/2010

PSMW-20

1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

PSMV-20

1,1-Dichloroethene, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<3.000
Butylbenzene, n-, ug/L	<1.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<3.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-20

cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
GW Depth (TOC), ft	221.370
GW Elv, ft	4,888.930
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
pH (field), STD	7.530
Propylbenzene, n-, ug/L	<1.000
Spec. Cond. (tab), micromhos/cm	1,000
Styrene, ug/L	<1.000
Temp (Fahrenheit), degrees F	68.700
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichloroethene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 10/19/2010

PSMW-20

1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloroethene, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

	PSMW-20
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<3.000
Butylbenzene, n-, ug/L	<1.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<3.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

MANAGES

Person Station

All Parameters vs Specified Locations by Date

PSMW-20

Ethylbenzene, ug/L	<1.000
GW Depth (TOC), ft	221.680
GW Elv, ft	4,888.620
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, P, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
pH (field), STD	7.460
Propylbenzene, n-, ug/L	<1.000
Spec. Cond. (lab), micromhos/cm	1,000
Styrene, ug/L	<1.000
Temp (Fahrenheit), degrees F	71.200
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichloroethene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 09/27/2011

PSMW-20

1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloroethene, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

	PSMW-20
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichlorethane, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, n-, ug/L	<3.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<3.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
GW Depth (TOC), ft	220.850
GW Elv, ft	4,889.450

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMV-20

Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
pH (field), STD	6.960
Propylbenzene, n-, ug/L	<1.000
Spec. Cond. (lab), micromhos/cm	772
Styrene, ug/L	<1.000
Temp (Fahrenheit), degrees F	72.000
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichloroethene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 12/09/2011

PSMW-20

1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloroethene, ug/L	<1.000
1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

PSMW-20

1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<3.000
Butylbenzene, n-, ug/L	<1.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<3.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethybenzene, ug/L	<1.000
GW Depth (TOC), ft	220.820
GW Elv, ft	4,889.480
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, P-, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-20

MEK, ug/L

<10,000

Methylene Bromide, ug/L

<1,000

Methylene Chloride, ug/L

<3,000

MTBE, ug/L

<1,000

Naphthalene, ug/L

<2,000

pH (field), STD

7.950

Propylbenzene, n-, ug/L

<1,000

Spec. Cond. (lab), micromhos/cm

0.860

Styrene, ug/L

<1,000

Temp (Fahrenheit), degrees F

63.000

Tetrachloroethene, ug/L

<1,000

Toluene, ug/L

<1,000

trans 1,2-Dichloroethene, ug/L

<1,000

Trans-1,3 Dichloropropene, ug/L

<1,000

Trichloroethene, ug/L

<1,000

Trichlorofluoromethane, ug/L

<1,000

Vinyl Chloride, ug/L

<1,000

Xylene, total, ug/L

<1,500

Sample Date: 06/13/2012

PSMW-20

1,1,1-Trichloroethane, ug/L

<1,000

1,2-Dichloroethene, ug/L

<1,000

GW Depth (TOC), ft

219.940

GW Elv, ft

4,890.360

pH (field), STD

7.460

Spec. Cond. (lab), micromhos/cm

977

Temp (Fahrenheit), degrees F

74.600

Tetrachloroethene, ug/L

<1,000

Sample Date: 10/16/2012

PSMW-20

1,1,1,2-Tetrachloroethane, ug/L

<1,000

1,1,1-Trichloroethane, ug/L

<1,000

1,1,2,2-Tetrachloroethane, ug/L

<2,000

1,1,2-Trichloroethane, ug/L

<1,000

1,1-Dichloroethane, ug/L

<1,000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMW-20

1,1-Dichloropropene, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloroethene, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichloropropane, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<3.000
Butylbenzene, n-, ug/L	<3.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<3.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

Person Station

All Parameters vs Specified Locations by Date

PSMV-20

cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethylbenzene, ug/L	<1.000
GW Depth (TOC), ft	220.200
GW Elv, ft	4,890.100
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
pH (field), STD	7.570
Propylbenzene, n-, ug/L	<1.000
Spec. Cond. (lab), micromhos/cm	1.040
Styrene, ug/L	<1.000
Temp (Fahrenheit), degrees F	69.800
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichloroethene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 11/01/2013

PSMW-20

1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloropropane, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000

Person Station

All Parameters vs Specified Locations by Date

	PSMW-20
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloroethene, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropano, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<3.000
Butylbenzene, n-, ug/L	<3.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<3.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

MANAGES

Person Station

All Parameters vs Specified Locations by Date

PSMW-20	
GW Depth (TOC), ft	219.170
GW Elv, ft	4,891.130
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
pH (field), STD	7.270
Propylbenzene, n-, ug/L	<1.000
Spec. Cond. (lab), micromhos/cm	870
Styrene, ug/L	<1.000
Temp (Fahrenheit), degrees F	64.600
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500
PSMW-20	
1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	<2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloropropane, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000

Sample Date: 10/28/2014

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

MANAGES

Person Station

All Parameters vs Specified Locations by Date

	PSMW-20
1,2-Dichloroethene, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methylnaphthalene, ug/L	<4.000
4-Methyl-2-pentanone, ug/L	<10.000
Acetone, ug/L	<10.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<3.000
Butylbenzene, n-, ug/L	<3.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert, ug/L	<1.000
Carbon disulfide, ug/L	<10.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<3.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
GW Depth (TOC), ft	217.850
GW EIV, ft	4,892.450
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.

MANAGES

Person Station

All Parameters vs Specified Locations by Date

PSMW-20

MEK, ug/L	<10.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<3.000
MTBE, ug/L	<1.000
Naphthalene, ug/L	<2.000
pH (field), STD	7.620
Propylbenzene, n-, ug/L	<1.000
Spec. Cond. (lab), micromhos/cm	872
Styrene, ug/L	<1.000
Temp (Fahrenheit), degrees F	67.500
Tetrachloroethene, ug/L	1.200
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Sample Date: 10/23/2015

PSMW-20

1,1,1,2-Tetrachloroethane, ug/L	<1.000
1,1,1-Trichloroethane, ug/L	<1.000
1,1,2,2-Tetrachloroethane, ug/L	>2.000
1,1,2-Trichloroethane, ug/L	<1.000
1,1-Dichloroethane, ug/L	<1.000
1,1-Dichloropropane, ug/L	<1.000
1,2,3-Trichlorobenzene, ug/L	<1.000
1,2,3-Trichloropropane, ug/L	<2.000
1,2,4-Trichlorobenzene, ug/L	<1.000
1,2,4-Trimethylbenzene, ug/L	<1.000
1,2-Dibromoethane, ug/L	<1.000
1,2-Dichlorobenzene, ug/L	<1.000
1,2-Dichloroethane, ug/L	<1.000
1,2-Dichloroethene, ug/L	<1.000
1,2-Dichloropropane, ug/L	<1.000
1,3,5-Trimethylbenzene, ug/L	<1.000
1,3-Dichlorobenzene, ug/L	<1.000
1,3-Dichloropropane, ug/L	<1.000

Person Station

All Parameters vs Specified Locations by Date

	PSMW-20
1,4-Dichlorobenzene, ug/L	<1.000
1-Methylnaphthalene, ug/L	<4.000
2,2-Dichloropropane, ug/L	<2.000
2-Hexanone, ug/L	<10.000
2-Methyl-2-Pentanone, ug/L	<1.000
2-Methylnaphthalene, ug/L	<4.000
Acetone, ug/L	<1.000
Benzene, ug/L	<1.000
Bromobenzene, ug/L	<1.000
Bromodichloromethane, ug/L	<1.000
Bromoform, ug/L	<1.000
Bromomethane, ug/L	<3.000
Butylbenzene, n-, ug/L	<3.000
Butylbenzene, sec-, ug/L	<1.000
Butylbenzene, tert-, ug/L	<1.000
Carbon disulfide, ug/L	<1.000
Carbon Tetrachloride, ug/L	<1.000
Chlorobenzene, ug/L	<1.000
Chlorodibromomethane, ug/L	<1.000
Chloroethane, ug/L	<2.000
Chloroform, ug/L	<1.000
Chloromethane, ug/L	<3.000
Chlorotoluene, o-, ug/L	<1.000
Chlorotoluene, p-, ug/L	<1.000
cis 1,2-Dichloroethene, ug/L	<1.000
cis 1,3-Dichloropropene, ug/L	<1.000
DBCP, ug/L	<2.000
Dichlorodifluoromethane, ug/L	<1.000
Ethybenzene, ug/L	<1.000
GW Depth (TOC), ft	216280
GW Elv, ft	4.894.020
Hexachlorobutadiene, ug/L	<1.000
Isopropylbenzene, ug/L	<1.000
Isopropyltoluene, p-, ug/L	<1.000
MEK, ug/L	<1.000
Methylene Bromide, ug/L	<1.000
Methylene Chloride, ug/L	<1.000
MTBE, ug/L	<1.000

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.
MANAGES

Person Station

All Parameters vs Specified Locations by Date

	PSMW-20
Naphthalene, ug/L	<2.000
pH (field), STD	7.780
Propylbenzene, n-, ug/L	<3.000
Spec. Cond. (lab), micromhos/cm	977
Styrene, ug/L	<1.000
Temp (Fahrenheit), degrees F	66.900
Tetrachloroethene, ug/L	<1.000
Toluene, ug/L	<1.000
trans 1,2-Dichloroethene, ug/L	<1.000
Trans-1,3 Dichloropropene, ug/L	<1.000
Trichlorofluoromethane, ug/L	<1.000
Vinyl Chloride, ug/L	<1.000
Xylene, total, ug/L	<1.500

Notes: Maximum is used for multiple daily samples. Detection limits are used for non-detected samples. Results entered as NA are displayed as blank.