

PUBLIC SERVICE COMPANY OF NEW MEXICO
2ND REVISED RULE NO. 19
CANCELLING 1ST REVISED RULE NO. 19

LIMITATION OF USE

PAGE 1 OF 1

- A. Resale of electric service or the furnishing of electric service to others by any Customer will not be permitted except where such resale or furnishing of service is provided for in the applicable Rate Schedule and in a written agreement between the Customer and the Company.
- B. PNM JOINT USE LIMITATIONS – Non-PNM-owned facilities (lights, wires, speakers, etc.) shall not be installed on PNM-owned facilities without:
1. Obtaining and having executed a PNM Joint Use Agreement for the facilities to be attached to PNM's poles or other facilities.
 2. Having PNM's Distribution Design Department determine the requirements for the attachment of the non-PNM-owned equipment. In some cases this may require PNM to replace the PNM facilities (at the customer's expense) in order for the non-PNM-owned equipment to be attached

Non-PNM-owned facilities must be installed in accordance with the requirements of PNM's Distribution Design Department.

- C. PNM RIT-OF-WAY LIMITATIONS – The customer shall not erect nor construct any building, pool, or other structure, nor drill or operate any well, nor conduct any activity which violates Occupational Safety and Health (OSHA) Standards or clearance provision of the National Electrical Safety Code upon utility easements reserved for PNM. x

Advice Notice No. 632

/s/ Henry Monroy

Henry Monroy
Vice President, PNM Regulatory

EFFECTIVE

March 7, 2025

Replaced by NMPRC

By: Rule No. 17.1.210

GCG#533462